Author Index

Abraham, V.A. and Mohandas, N. Chemical control of the white grub *Leucopholis coneophora* Burm., a pest of the coconut palm, 355

Abutiate, W.S., Effects of spacing on the yield and marketable fruits of eggplant (*Solanum melongena* L.) type 'Oguanhwoa', 188

Acamovic, T. *see* D'Mello, J.P.F., 376

Addae-Kagyah, K.A., Osafo, D.M., Olympio, N.S. and Atubra, O.K. Effect of seed storage, heat pretreatment and its duration on germination and growth of nursery stock of the idolatrica palm, *Elaeis guineensis* var. *idolatrica* (Chevalier), 77

Agarwal, S.C. *see* Singh, S.N., 106

Agarwala, S.C., Chatterjee, C. and Nautiyal, N. Effect of induced molybdenum deficiency on growth and enzyme activity in sorghum, 333

Ahmad, T. *see* Bhagat, N.R., 109

Akhtar, M.A., Malik, K.B. and Aslam, M. Sugarcane leaf scald (*Xanthomonas albilineans*) in Pakistan, 281

Akingbohungbe, A.E. *see* Ofuya, T.I., 229

Akoroda, M.O. Cultivation of jute (*Corchorus olitorius* L.) for edible leaf in Nigeria, 297

Akunda, E. *see* Coulson, C.L., 352

Ali, K.T. and Sidahmed, O.A. Physico-chemical evaluation of fruits of some Sudanese date cultivars, 117

Alozie, S.O. *see* Nwankiti, A.I., 125

Ameyan, O. Effects of clay and organic fractions on the cation exchange capacity of Jos plateau soils, Nigeria, 347

Anilkumar, T.B. *see* Chandrashekar, M., 37

Aslam, M. *see* Akhtar, M.A., 281

Aslam, M. Food consumption and utilization of food by *Heliothis armigera* (Hub.) (Lepidoptera; Noctuidae), 64

Atu, U.G. *see* Nwankiti, A.O., 125

Atubra, O.K. *see* Addae-Kagyah, K.A., 77

Balakumar, T and Balasubramanian, N.A. Effects of hormonal treatments on biomass production in tomato, 373

Balasimha, D., Rajagopal, V., Daniel, E.V., Nair, R.V. and Bhagavan, S. Comparative drought tolerance of cacao accessions, 271

Balasubramanian, N.A. *see* Balakumar, T., 373

Barnard, R.O. and Folscher, W.J. Growth of legumes at different levels of liming, 113

Belalcazar, J. *see* Schultze-Kraft, R., 137

Bhagat, N.R., Ahmad, T. and Lalwani, H.B. Screening of bunch peanut (*Arachis hypogaea* L. spp. *fastigiata*) germplasm for cold tolerance in India, 109

Bhagavan, S. *see* Balasimha, D., 271

Bisaria, A.K. and Rao, P.V. Influence of indole-3-butyric acid and environmental factors on the regeneration of stem cuttings of ramie, *Boehmeria nivea* Gaud., 67

Biswas, C.R. *see* Hundal, H.S., 185

Blackburn, W.H. *see* Mbakaya, D.S., 99

Bnei-Moshe, S. *see* Kipnis, T., 158

Boer, M. *see* Little, D.A., 213

Brooks, C.B. *see* Dadson, R.B., 254

Brooks, C.B., Dadson, R.B. and Green, B.M. Evaluation of symbiotic effectiveness of elite and wild strains of *Bradyrhizobium* on cultivars of *Voandzeia subterranea* (L.) Thouars, 61

Carew, S.N., Olomu, J.M. and Offiong, S.A. Amino acid supplementation of groundnut meal protein in broiler diets, 329

Carles, A.B. *see* Mwandotto, B.A.J., 257

Carmer, S.G., *see* Martin, F.W., 313

Cartwright, T.C. *see* Mwandotto, B.A.J., 257

Ceulemans, R.J.M., Laker, M.C. and Vanassche, F.M.G. Stomatal conductance and leaf temperature of maize grown under different irrigation treatments in a semi-arid region, 305

Chandrashekar, M., Anilkumar, T.B., Saifulla, M. and Salimath, P.M. Leaf rust epidemics of certain promising cowpea varieties compared by using logistic and Gompertz models, 37

Chatterjee, C. *see* Agarwala, S.C., 333

Child, R.D. *see* Mbakaya, D.S., 99

Chong, S.K. *see* Daisley, L.E.A., 300

Christiansen, S., Ruelke, O.C., Ocumpaugh, W.R. and Quesenberry, H. Seasonal yield and quality of 'Bigalta', 'Redalta' and 'Floralta' limpograss, 49

Cole, D.J.A. *see* Thorne, P.J., 197

Coulson, C.L. *see* D'Souza, H.A., 179

Coulson, C.L., Stigter, C.J., Akunda, E. and Floor-Drees, E. Instrument-based distortions of leaf/air temperature differences and interpretations of bean drought stress resistance, 352

Dabek, A.J. *see* Martin, P.J., 25

Dadson, R.B. *see* Brooks, C.B., 61

Dadson, R.B., Brooks, C.B. and Wutoh, J.G. Evaluation of selected rhizobial strains grown in association with bambara groundnut (*Voandzeia subterranea* (L.) Thouars), 254

Daisley, L.E.A., Chong, S.K., Olsen, F.J., Singh, L. and George, C. Effects of surface-applied grass mulch on soil water content and yields of cowpea and eggplant in Antigua, 300

Daniel, E.V. *see* Balasimha, D., 271

Deville, J. *see* Ng Kee Kwong, K.F., 364

Dhillon, B.S. *see* Singh, Z., 295

Dingal, A.G. *see* Pardales, J.R., 21

do Valle, C.B., Moore, K.J. and Miller, D.A. Cell wall composition and digestibility in five species of *Brachiaria*, 337

do Valle, C.B., Moore, K.J. and Miller, D.A. Effect of ploidy level on cell wall composition and digestibility of *Brachiaria ruziziensis* Germain et Evrard, 16

Dwivedi, R.S. *see* Joshi, Y.C., 182

D'Mello, J.P.F., Walker. A.G. and Acamovic, T. Concentrations of total amino acids including canavanine during germination of *Canavalia ensiformis* (L.) DC., 376

D'Souza, H.A. and Coulson, C.L. Dry matter production and partitioning in two cultivars of *Phaseolus vulgaris* under different watering regimes, 179

Edet, L.E. *see* Okusanya, O.T., 241

Fagan, H.J. and Topper, B.F. Agronomic research on cocoa in Jamaica 1950–1980 and current research trends, 290

Floor-Drees, E. *see* Coulson, C.L., 352

Flores, N.A. *see* Martin, F.W., 313

Floyd, C.N. *see* Kanua, M.B., 9

Floyd, C.N. Control and effect of leaf scab (*Elsinoe batatas*) in sweet potato, 6

Folscher, W.J. *see* Barnard, R.O., 113

Foncelle, B. *see* Mateille, T., 325

Franco, A.A. *see* Hungria, M., 341

Gaili, E.S.E. *see* Waddad, S.A., 56

Garza-Lopez, J.G. *see* Stapleton, J.J., 29

Gathuru, E.M. *see* Omunyin, M.E., 166

George, C. *see* Daisley, L.E.A., 300

Goue, B. *see* Yao, N.R., 84

Green, B.M. *see* Brooks, C.B., 61

Gupta, B.R.D. *see* Shanker, U., 265

Gutteridge, R.C. and MacArthur, S. Productivity of *Gliricidia sepium* in a sub-tropical environment, 275

Harricharan, H. and Morris, J. Mineral content of some tropical forage legumes, 132

Hedge, R.K. *see* Sastry, M.N.L., 150

Horton, D.E. World patterns and trends in sweet potato production, 268

Author Index

Abraham, V.A. and Mohandas, N. Chemical control of the white grub *Leucopholis coneophora* Burm., a pest of the coconut palm, 355

Abutiate, W.S., Effects of spacing on the yield and marketable fruits of eggplant (*Solanum melongena* L.) type 'Oguanhwoa', 188

Acamovic, T. *see* D'Mello, J.P.F., 376

Addae-Kagyah, K.A., Osafo, D.M., Olympio, N.S. and Atubra, O.K. Effect of seed storage, heat pretreatment and its duration on germination and growth of nursery stock of the idolatrica palm, *Elaeis guineensis* var. *idolatrica* (Chevalier), 77

Agarwal, S.C. *see* Singh, S.N., 106

Agarwala, S.C., Chatterjee, C. and Nautiyal, N. Effect of induced molybdenum deficiency on growth and enzyme activity in sorghum, 333

Ahmad, T. *see* Bhagat, N.R., 109

Akhtar, M.A., Malik, K.B. and Aslam, M. Sugarcane leaf scald (*Xanthomonas albilineans*) in Pakistan, 281

Akingbohungbe, A.E. *see* Ofuya, T.I., 229

Akoroda, M.O. Cultivation of jute (*Corchorus olitorius* L.) for edible leaf in Nigeria, 297

Akunda, E. *see* Coulson, C.L., 352

Ali, K.T. and Sidahmed, O.A. Physico-chemical evaluation of fruits of some Sudanese date cultivars, 117

Alozie, S.O. *see* Nwankiti, A.I., 125

Ameyan, O. Effects of clay and organic fractions on the cation exchange capacity of Jos plateau soils, Nigeria, 347

Anilkumar, T.B. *see* Chandrashekar, M., 37

Aslam, M. *see* Akhtar, M.A., 281

Aslam, M. Food consumption and utilization of food by *Heliothis armigera* (Hub.) (Lepidoptera; Noctuidae), 64

Atu, U.G. *see* Nwankiti, A.O., 125

Atubra, O.K. *see* Addae-Kagyah, K.A., 77

Balakumar, T and Balasubramanian, N.A. Effects of hormonal treatments on biomass production in tomato, 373

Balasimha, D., Rajagopal, V., Daniel, E.V., Nair, R.V. and Bhagavan, S. Comparative drought tolerance of cacao accessions, 271

Balasubramanian, N.A. *see* Balakumar, T., 373

Barnard, R.O. and Folscher, W.J. Growth of legumes at different levels of liming, 113

Belalcazar, J. *see* Schultze-Kraft, R., 137

Bhagat, N.R., Ahmad, T. and Lalwani, H.B. Screening of bunch peanut (*Arachis hypogaea* L. spp. *fastigiata*) germplasm for cold tolerance in India, 109

Bhagavan, S. *see* Balasimha, D., 271

Bisaria, A.K. and Rao, P.V. Influence of indole-3-butyric acid and environmental factors on the regeneration of stem cuttings of ramie, *Boehmeria nivea* Gaud., 67

Biswas, C.R. *see* Hundal, H.S., 185

Blackburn, W.H. *see* Mbakaya, D.S., 99

Bnei-Moshe, S. *see* Kipnis, T., 158

Boer, M. *see* Little, D.A., 213

Brooks, C.B. *see* Dadson, R.B., 254

Brooks, C.B., Dadson, R.B. and Green, B.M. Evaluation of symbiotic effectiveness of elite and wild strains of *Bradyrhizobium* on cultivars of *Voandzeia subterranea* (L.) Thouars, 61

Carew, S.N., Olomu, J.M. and Offiong, S.A. Amino acid supplementation of groundnut meal protein in broiler diets, 329

Carles, A.B. *see* Mwandotto, B.A.J., 257

Carmer, S.G., *see* Martin, F.W., 313

Cartwright, T.C. *see* Mwandotto, B.A.J., 257

Ceulemans, R.J.M., Laker, M.C. and Vanassche, F.M.G. Stomatal conductance and leaf temperature of maize grown under different irrigation treatments in a semi-arid region, 305

Chandrashekar, M., Anilkumar, T.B., Saifulla, M. and Salimath, P.M. Leaf rust epidemics of certain promising cowpea varieties compared by using logistic and Gompertz models, 37

Chatterjee, C. *see* Agarwala, S.C., 333

Child, R.D. *see* Mbakaya, D.S., 99

Chong, S.K. *see* Daisley, L.E.A., 300

Christiansen, S., Ruelke, O.C., Ocumpaugh, W.R. and Quesenberry, H. Seasonal yield and quality of 'Bigalta', 'Redalta' and 'Floralta' limpograss, 49

Cole, D.J.A. *see* Thorne, P.J., 197

Coulson, C.L. *see* D'Souza, H.A., 179

Coulson, C.L., Stigter, C.J., Akunda, E. and Floor-Drees, E. Instrument-based distortions of leaf/air temperature differences and interpretations of bean drought stress resistance, 352

Dabek, A.J. *see* Martin, P.J., 25

Dadson, R.B. *see* Brooks, C.B., 61

Dadson, R.B., Brooks, C.B. and Wutoh, J.G. Evaluation of selected rhizobial strains grown in association with bambara groundnut (*Voandzeia subterranea* (L.) Thouars), 254

Daisley, L.E.A., Chong, S.K., Olsen, F.J., Singh, L. and George, C. Effects of surface-applied grass mulch on soil water content and yields of cowpea and eggplant in Antigua, 300

Daniel, E.V. *see* Balasimha, D., 271

Deville, J. *see* Ng Kee Kwong, K.F., 364

Dhillon, B.S. *see* Singh, Z., 295

Dingal, A.G. *see* Pardales, J.R., 21

do Valle, C.B., Moore, K.J. and Miller, D.A. Cell wall composition and digestibility in five species of *Brachiaria*, 337

do Valle, C.B., Moore, K.J. and Miller, D.A. Effect of ploidy level on cell wall composition and digestibility of *Brachiaria ruziziensis* Germain et Evrard, 16

Dwivedi, R.S. *see* Joshi, Y.C., 182

D'Mello, J.P.F., Walker. A.G. and Acamovic, T. Concentrations of total amino acids including canavanine during germination of *Canavalia ensiformis* (L.) DC., 376

D'Souza, H.A. and Coulson, C.L. Dry matter production and partitioning in two cultivars of *Phaseolus vulgaris* under different watering regimes, 179

Edet, L.E. *see* Okusanya, O.T., 241

Fagan, H.J. and Topper, B.F. Agronomic research on cocoa in Jamaica 1950–1980 and current research trends, 290

Floor-Drees, E. *see* Coulson, C.L., 352

Flores, N.A. *see* Martin, F.W., 313

Floyd, C.N. *see* Kanua, M.B., 9

Floyd, C.N. Control and effect of leaf scab (*Elsinoe batatas*) in sweet potato, 6

Folscher, W.J. *see* Barnard, R.O., 113

Foncelle, B. *see* Mateille, T., 325

Franco, A.A. *see* Hungria, M., 341

Gaili, E.S.E. *see* Waddad, S.A., 56

Garza-Lopez, J.G. *see* Stapleton, J.J., 29

Gathuru, E.M. *see* Omunyin, M.E., 166

George, C. *see* Daisley, L.E.A., 300

Goue, B. *see* Yao, N.R., 84

Green, B.M. *see* Brooks, C.B., 61

Gupta, B.R.D. *see* Shanker, U., 265

Gutteridge, R.C. and MacArthur, S. Productivity of *Gliricidia sepium* in a sub-tropical environment, 275

Harricharan, H. and Morris, J. Mineral content of some tropical forage legumes, 132

Hedge, R.K. *see* Sastry, M.N.L., 150

Horton, D.E. World patterns and trends in sweet potato production, 268

Hundal, H.S., Biswas, C.R. and Vig, A.C. Phosphorus sorption characteristics of flooded soil amended with green manures, 185
Hungria, M. and Franco, A.A. Nodule senescence in *Phaseolus vulgaris* L., 341

Ibokwe, M. *see* Nwankiti, A.O., 125
Idem, N.U.A. Effect of plant density on yield and yield components of jute (*Corchorus capsularis* L.) in the southern Guinea savanna zone of Nigeria, 208

Jesus, F.M.M. *see* Ramalho, F.S., 245
Joshi, D.C., Singh, N. and Kolarkar, A.S. Forms of iron and manganese and their availability in the salt-affected soils the Guhiya catchment of the Upper Luni Basin of Rajasthan, 41
Joshi, Y.C., Nautiyal, P.C., Ravindra, V. and Dwivedi, R.S. Water relations in two cultivars of groundnut (*Arachis hypogaea* L.) under soil water deficit, 182
Joshi, Y.P. *see* Singh, V., 129, 194
Just, A. *see* Lekule, F.P., 321

Kannaiyan, S. *see* Subramani, S., 226
Kanua, M.B. and Floyd, C.N. Sweet potato genotype × environment interactions in the highlands of Papua New Guinea, 9
Kidd, B.T. *see* Wright, D.L., 169
Kipnis, T. and Bnei-Moshe, S. Improved vegetative propagation of napiergrass and pearl millet × napiergrass interspecific hybrids, 158
Kobayashi, K.D. Estimating leaf area of 'Beaumont' guava, 173
Kolarkar, A.S. *see* Joshi, D.C., 41
Kumari, N.G. *see* Rao, M.B.N., 370

Lakanmi, O.O. *see* Okusanya, O.T., 241
Laker, M.C. *see* Ceulemans, R.J.M., 305
Lakshminarayana, K., Narula, N. and Tauro, P. A simple technique to obtain nodulation of chickpea and some large-seeded legumes in agar tubes, 121
Lalwani, H.B. *see* Bhagat, N.R., 109
Lavania, U.C. Development of a fertile autotetraploid strain in *Hyoscamus muticus* L., 277
Lekule, F.P., Mtenga, L.A. and Just, A. Total replacement of cereals by cassava and rice polishings in diets of growing-finishing pigs, 321
Lester, R.N. *see* Mohamed, E.I., 279
Light, D. *see* Ward, P.N., 73
Little, D.A., Petheram, R.J. and Boer, M. Observations on the mineral content and nutritive value of diets fed to village ruminants in the Indonesian districts of Bogor (west Java) and Pamekasan (Madura, east Java), 213
Longe, O.G. and Tona, G.O. Metabolizable energy values of some tropical feedstuffs for poultry, 358

MacArthur, S. *see* Gutteridge, R.C., 275
Madan, M. *see* Singh, A., 361
Malik, K.B. *see* Akhtar, M.A., 281
Martin, F.W., Flores, N.A. and Carmer, S.G. Identification of a key environment for determination of yield stability in sweet potato, 313
Martin, P.J. and Dabek, A.J. Effects of paclobutrazol on the vegetative growth and flowering of young clove trees, 25
Mateille, T. and Foncelle, B. Micropropagation of *Musa* AAA cv. Poyo in the Ivory Coast, 325
Mbakaya, D.S., Blackburn, W.H., Skovlin, J.M. and Child, R.D. Infiltration and sediment production of a bushed grassland as influenced by livestock grazing systems, Buchuma, Kenya, 99
Medlicott, A.P. and Reynolds, S.B. Harvest maturity effects on mango fruit ripening, 153
Miller, D.A. *see* do Valle, C.B., 16, 337
Mohamed, E.I., Lester, R.N. and Mumford, P.M. Viability of eggplant seeds, 279
Mohammed, M. and Sealy, L. Hydrocooling and post-harvest quality in melongene (*Solanum melongena* L.), 161
Mohandas, N. *see* Abraham, V.A., 355
Monteny, B. *see* Yao, N.R., 84
Moore, K.J. *see* do Valle, C.B., 16, 337
Morris, J. *see* Harricharan, H., 132
Morris, R.A. *see* Torres, R.O., 219
Mtenga, L.A. *see* Lekule, F.P., 321
Mukunya, D.M. *see* Omunyin, M.E., 166
Mumford, P.M. *see* Mohamed, E.I., 279
Mwandotto, B.A.J., Carles, A.B. and Cartwright, T.C. Weaning and 18-month weights of Boran, East African Shorthorn Zebu and Sahiwal breeds or crosses in Kenya, 257

Nair, R.V. *see* Balasimha, D., 271
Narula, N. *see* Lakshminarayana, K., 121
Nautiyal, N. *see* Agarwala, S.C., 333
Nautiyal, P.C. *see* Joshi, Y.C., 182
Ng Kee Kwong, K.F. and Deville, J. Filter cake as a nitrogen fertilizer for plant cane in Mauritius, 364
Nnodu, E. *see* Nwankiti, A.O., 125
Nwankiti, A.O., Atu, U.G., Alozie, S.O., Ibokwe, M., Okpokiri, A. and Nnodu, E. Effect of modifying two traditional yam barn structures on storability of four cultivars of yam (*Dioscorea* spp.), 125
Nwankiti, A.O. Sprout removal in storage and seed yam production in Nigeria, 367

Ocumpaugh, W.R. *see* Christiansen, S., 49
Offiong, S.A. *see* Carew, S.N., 329
Ofuya, T.I. and Akingbohungbe, A.E. Intensive screening of some cowpea varieties for resistance to the black cowpea moth, *Cydia ptychora* (Meyrick) (Lepidoptera: Tortricidae), 229
Ogan, M.T. Underground tissue biomass, carbon substrate contents and diazotrophic populations associated with forage grasses in Nigeria, 233
Ogunbodede, B.A. Relationships between harvest index and some traits in cowpea, *Vigna unguiculata* (L.) Walp., 205
Okafor, L.I. Barley yield and responses to planting date, seed rate and N fertilizer in the Lake Chad Basin of Nigeria, 249
Okorji, E.C. Traditional sex-related household roles as determinants of income distribution; a case study of arable farming communities in Anambra State, Nigeria, 89
Okpokiri, A. *see* Nwankiti, A.O., 125
Okugie, D.N. and Ossom, E.M. Effect of mulch on the yield, nutrient concentration and weed infestation of the fluted pumpkin, *Telfairia occidentalis* Hook., 202
Okusanya, O.T., Edet, L.E. and Lakanmi, O.O. Effects of preplanting, mixed planting and planting density of *Vigna unguiculata* (L.) Walp. on the growth of *Luffa aegyptiaca* Mill. in humic and red lateritic soils, 241
Olomu, J.M. *see* Carew, S.N., 329
Olsen, F.J. *see* Daisley, L.E.A., 300
Olympio, N.S. *see* Addae-Kagyah, K.A., 77
Omunyin, M.E., Gathuru, E.M. and Mukunya, D.M. Reactions of cultivars of bean (*Phaseolus vulgaris* L.) to bean common mosaic virus (BCMV), 166
Orluchukwu, J.A. and Ossom, E.M. Effect of management practice on weed infestation, yield and nutrient concentration of the fluted pumpkin, *Telfairia occidentalis* Hook., 317
Osafo, D.M. *see* Addae-Kagyah, K.A., 77
Ossom, E.M. *see* Orluchukwu, J.A., 317
Ossom, E.M. *see* Okugie, D.N., 202

Padmanabham, V. *see* Rao, M.B.N., 370
Pardales, J.R. and Dingal, A.G. An allelopathic factor in taro residues, 21
Pasaribu, D. *see* Torres, R.O., 219
Pearce, S.C. Analysis of data from agricultural experiments, 2
Pegus, J.E. *see* Rajnauth, G.L., 176
Petheram, R.J. *see* Little, D.A., 213

Quesenberry, H. *see* Christiansen, S., 49

Raj, A.S. *see* Rao, M.B.N., 370
Rajagopal, V. *see* Balasimha, D., 271
Rajnauth, G.L. and Pegus, J.E. Additional beetle vectors of cowpea severe mosaic virus in Trinidad, 176
Ramalho, F.S. and Jesus, F.M.M. Distribution of boll weevil (*Anthonomus grandis* Boheman) eggs within cotton plants, 245
Raman, K.V. *see* Romero, J., 34

Rao, D.G. *see* Subramanian, V.B., 145
Rao, M.B.N., Satyanarayana, G., Raj, A.S., Kumari, N.G. and Padmanabham, V. Influence of post-ringing period on cofactor activity and total phenol content in ringed shoot cuttings of cashew (*Anacardium occidentale* L.), 370
Rao, P.V. *see* Bisaria, A.K., 67
Ravindra, V. *see* Joshi, Y.C., 182
Reynolds, S.B. *see* Medlicott, A.P., 153
Romero, J. and Raman, K.V. Evaluation of ten *Solanum* potato cultivars for major insect pests, natural enemies and pest resistance in the highlands of Peru, 34
Ruelke, O.C. *see* Christiansen, S., 49
Saeed, A.M. *see* Ward, P.N., 73
Saifulla, M. *see* Chandrashekar, M., 37
Salimath, P.M. *see* Chandrashekar, M., 37
Sastry, M.N.L. and Hegde, R.K. Control of fruit rot or koleroga disease of arecanut (*Areca catechu* L.), 150
Satyanarayana, G. *see* Rao, M.B.N., 370
Schultze-Kraft, R. and Belalcazar, J. Germplasm collection and preliminary evaluation of the pasture legume *Centrosema brasilianum* (L.) Benth., 137
Sealy, L. *see* Mohammed, M., 161
Shanker, U. and Gupta, B.R.D. Forecasting paddy yield in Bihar and Orissa States in India based on weather parameters and multiple regression technique, 265
Sharma, S.P. *see* Singh, V., 194
Sidahmed, O.A. *see* Ali, K.T., 117
Singh, A., Madan, M. and Vasudevan, P. Fertilizer replacement trials with *Raphanus sativus* L., 361
Singh, A.K. *see* Singh, V., 129
Singh, L. *see* Daisley, L.E.A., 300
Singh, N. *see* Joshi, D.C., 41
Singh, S.N., Srivastava, S.K. and Agarwal, S.C. Viability and germination of soybean seeds in relation to pre-treatment with fungicides, period of storage and type of storage container, 106
Singh, V., Sharma, S.P., Verma, S.S. and Joshi, Y.P. Effect of nitrogen fertilization and cutting management on the yield and quality of herbage of teosinte (*Euchlaena mexicana* Schrad.), 194
Singh, V., Singh, A.K., Verma, S.S. and Joshi, Y.P. Effect of nitrogen fertilization on yield and quality of multicut tropical forages, 129
Singh, Z. and Dhillon, B.S. Influence of deblossoming on floral malformation of mango (*Mangifera indica* L.), 295
Skovlin, J.M. *see* Mbakaya, D.S., 99
Srivastava, S.K. *see* Singh, S.N., 106
Stapleton, J.J. and Garza-Lopez, J.G. Mulching of soils with transparent (solarization) and black polyethylene films to increase growth of annual and perennial crops in southwestern Mexico, 29
Stigter, C.J. *see* Coulson, C.L., 352
Subramani, S. and Kannaiyan, S. Effect of gypsum and lime application and *Azolla pinnata* inoculation on grain yield of rice, 226
Subramanian, V.B. and Rao, D.G. Intercropping effects on yield components of dryland sorghum, pigeon pea and mung bean, 145

Tauro, P. *see* Lakshminarayana, K., 121
Teare, I.D. *see* Wright, D.L., 169
Thorne, P.J., Wiseman, J. and Cole, D.J.A. Use of diets containing high levels of copra meal for growing/finishing pigs and their supplementation to improve animal performance, 197
Tona, G.O. *see* Longe, O.G., 358
Topper, B.F. *see* Fagan, H.J., 290
Torres, R.O., Morris, R.A. and Pasaribu, D. Inoculation methods and nitrogen fertilizer effects on soybeans in the Philippines: I. nodulation and nitrogen yields, 219

Vanassche, F.M.G. *see* Ceulemans, R.J.M., 305
Vasudevan, P. *see* Singh, A., 361
Verma, S.S. *see* Singh, V., 129, 194
Vig, A.C. *see* Hundal, H.S., 185

Waddad, S.A. and Gaili, E.S.E. Effect of nutrition level on live weight growth and development of body components in Western Sudan Baggara cattle, 56
Walker, A.G. *see* D'Mello, J.P.F., 376
Ward, P.N., Saeed, A.M., Light, D. and Wilson, R.T. Reproductive performance of Kenana cows in Sudan, 73
Wilson, R.T. *see* Ward, P.N., 73
Wiseman, J. *see* Thorne, P.J., 197
Wright, D.L., Teare, I.D. and Kidd, B.T. Ontogeny of maize in relation to sequential cropping, 169
Wutch, J.G. *see* Dadson, R.B., 254

Yao, N.R., Goue, B., Zeller, B. and Monteny, B. Effect of drought on leaf development and dry matter production of the cassava (*Manihot esculenta* Crantz) plant, 84

Zeller, B. *see* Yao, N.R., 84

Subject Index

Aerial tillers: *see Pennisetum* hybrids, 158
Alkaloid production: *see Hyoscyamus muticus*, 277
Allelopathic factor: An allelopathic factor in taro residues, 21
Amino acids: *see Canavalia ensiformis*, 376
Analysis of data: *see* Statistics, 2
Anarcardium occidentale: *see* Cashew, 370
Anthonomus grandis: *see* Cotton, 245
Arable farming community: *see* Household roles, 89
Arachis hypogaea: *see* Groundnut, 182
Arachis hypogaea: *see* Peanut, 109
Areca catechu: *see* Arecanut, 150
Arecanut: Control of fruit rot or koleroga disease of arecanut (*Areca catechu* L.), 150
Azolla: *see* Rice, 226

Bambara groundnut: Evaluation of selected rhizobial strains grown in association with bambara groundnut (*Voandzeia subterranea* (L.) Thouars), 254
Banana: see *Musa* cv. Poyo, 325
Barley: Barley yield and responses to planting date, seed rate and N fertilizer in the Lake Chad Basin of Nigeria, 249
Bean: *see Phaseolus vulgaris*, 341
Bean: *see Phaseolus vulgaris*, 352
Bean: Reactions of cultivars of bean (*Phaseolus vulgaris* L.) to bean common mosaic virus (BCMV), 166
Bean: Dry matter production and partitioning in two cultivars of *Phaseolus vulgaris* under different watering regimes, 179
Bean common mosaic virus: *see* Bean, 166
Beetle vectors: Additional beetle vectors of cowpea severe mosaic virus in Trinidad, 176
Biomass, underground tissue: *see* Forage grass, 233
Black cowpea moth: *see* Cowpea, 229
Boehmeria nivea: Influence of indole-3-butyric acid and environemntal factors on the regeneration of stem cuttings of ramie, *Boehmeria nivea* Gaud., 67
Boll weevil: *see* Cotton, 245
Bollworm: *see Heliothis armigera*, 64
Book Reviews: 287, 382
Brachiaria: Cell wall composition and digestibility in five species of *Brachiaria*, 337
Brachiaria ruziziensis: Effect of ploidy level on cell wall composition and digestibility of *Brachiaria ruziziensis* Germain et Evrard, 16
Bradyrhizobium: Evaluation of symbiotic effectiveness of elite and wild strains of *Bradyrhizobium* on cultivars of *Voandzeia subterranea* (L.) Thouars, 61

Cacao: *see* Cocoa, 290
Cacao: Comparative drought tolerance of cacao accessions, 271
Calving interval: *see* Cattle, Kenana, 73
Canavalia ensiformis: Concentrations of total amino acids including canavanine during germination of *Canavalia ensiformis* (L.) DC., 376
Cashew: Influence of post-ringing period on cofactor activity and total phenol content in ringed shoot cuttings of cashew (*Anacardium occidentale* L.), 370
Cassava: *see Manihot esculenta*, 84
Cassava: *see* Pig performance, 321
Cation exchange capacity: Effects of clay and organic fractions on the cation exchange capacity of Jos plateau soils, Nigeria, 347
Cattle: Weaning and 18-month weights of Boran, East African Shorthorn Zebu and Sahiwal breeds or crosses in Kenya, 257
Cattle, Baggara: Effect of nutrition level on live weight growth and development of body components in Western Sudan Baggara cattle, 56
Cattle, Kenana: Reproductive performance of Kenana cows in Sudan, 73
Cell wall composition: *see Brachiaria*, 337
Centrosema brasilianum: *see* Forage, 137
Chemical control: *see Leucopholis coneophora*, 355
Chickpea: A simple technique to obtain nodulation of chickpea and some large-seeded legumes in agar tubes, 121
Clay fractions: *see* Cation exchange capacity, 347
Clove trees: *see* Paclobutrazol, 25
Cocoa: Agronomic research on cocoa in Jamaica 1950–1980 and current research trends, 290
Coconut: *see Leucopholis coneophora*, 355
Cold tolerance: *see* Peanut, 109
Congo grass: *see Brachiaria ruziziensis*, 16
Copra meal: *see* Pigs, 197
Corchorus capsularis: *see* Jute, 208
Corchorus olitorius: *see* Jute, 297
Cotton: Distribution of boll weevil (*Anthonomus grandis* Boheman) eggs within cotton plants, 245
Cowpea: Intensive screening of some cowpea varieties for resistance to the black cowpea moth, *Cydia ptychora* (Meyrick) (Lepidoptera: Tortricidae), 229
Cowpea: Effects of surface-applied grass mulch on soil water content and yields of cowpea and eggplant in Antigua, 300
Cowpea: Relationships between harvest index and some traits in cowpea, *Vigna unguiculata* (L.) Walp., 205
Cowpea: *see* Leaf rust, 37
Cowpea severe mosaic virus: *see* Beetle vectors, 176
Cross breeding: *see* Cattle, 257
Cuttings: *see* Cashew, 370
Cydia ptychora: *see* Cowpea, 229

Date palm: Physico-chemical evaluation of fruits of some Sudanese date cultivars, 117
Diazotrophs: *see* Forage grass, 233
Diet: *see* Poultry, 329, 358
Diet: *see* Ruminants, 213
Digestibility: *see Brachiaria*, 337
Dioscorea spp.: *see* Yam, 125
Drought: *see Manihot esculenta*, 84
Drought tolerance: *see* Cacao, 271

Eggplant: *see* Cowpea, 300
Eggplant: Effects of spacing on the yield and marketable fruits of eggplant (*Solanum melongena* L.) type 'Oguanhwoa', 188
Eggplant: Viability of eggplant seeds, 279
Elaeis guineensis var. *idolatrica*: Effect of seed storage, heat pretreatment and its duration on germination and growth of nursery stock of the idolatrica palm, *Elaeis guineensis* var. *idolatrica* (Chevalier), 77
Elsinoe batatas: Control and effect of leaf scab (*Elsinoe batatas*) in sweet potato, 6
Enzyme activity: *see* Sorghum, 333
Estimating: *see* Statistics, 2
Euchlaena mexicana: *see* N fertilization, 194

Filter cake: *see* Sugarcane, 364
Floral deblossoming: *see* Mango, 295
Fluted pumpkin: Effect of mulch on the yield, nutrient concentration and weed infestation of the fluted pumpkin, *Telfairia occidentalis* Hook., 202
Fluted pumpkin: Effect of management practice on weed infestation, yield and nutrient concentration of the fluted pumpkin, *Telfairia occidentalis* Hook., 317
Food consumption: *see Heliothis armigera*, 64
Forage: Germplasm collection and preliminary evaluation of the pasture legume *Centrosemaa brasilianum* (L.) Benth., 137
Forage: Mineral content of some tropical forage legumes, 132
Forage grass: Underground tissue biomass, carbon substrate contents and diazotrophic populations associated with forage grasses in Nigeria, 233
Forage quality: *see* N fertilization, 129

Fruit quality: *see* Date palm, 117

Genotype × environment: *see Ipomoea batatas*, 9
Germination: *see Canavalia ensiformis*, 376
Germination: *see* Soybean, 106
Gilberellic acid: *see* Tomato, 373
Gliricidia sepium: Productivity of *Gliricidia sepium* in a sub-tropical environment, 275
Grassland infiltration: *see* Grazing systems, 99
Grazing systems: Infiltration and sediment production of a bushed grassland as influenced by livestock grazing systems, Buchuma, Kenya, 99
Green manure: *see* Phosphorus sorption, 185
Green manure: *see Raphanus sativus*, 361
Groundnut: Water relations in two cultivars of groundnut (*Arachis hypogaea* L.) under soil water deficit, 182
Groundnut meal: *see* Poultry, 329
Growth: *see* Cattle, Baggara, 56
Growth: *see* Pigs, 197
Guava: Estimating leaf area of 'Beaumont' guava, 173

Harvest frequency: *see Gliricidia sepium*, 275
Harvest index, *see* Cowpea, 205
Heliothis armigera: Food consumption and utilization of food by *Heliothis armigera* (Hub.) (Lepidoptera; Noctuidae), 64
Hemarthria altissima: Seasonal yield and quality of 'Bigalta', 'Redalta' and 'Floralta' limpograss, 49
Household roles: Traditional sex-related household roles as determinants of income distribution; a case study of arable farming communities in Anambra State, Nigeria, 89
Hydrocooling: *see* Melongene, 161
Hyoscyamus muticus: Development of a fertile autotetraploid strain in *Hyoscamus muticus* L., 277

Idolatrica palm: *see Elaeis guineensis* var. *idolatrica*, 77
Income distribution: *see* Household roles, 89
Indoleacetic acid: *see* Tomato, 373
Indole-3-butyric acid: *see Boehmeria nivea*, 67
Inoculation method: *see* Soybean, 219
Insect pests: *see Solanum* cultivars, 34
Intercropping: Intercroppng effects on yield components of dryland sorghum, pigeon pea and mung bean, 145
Ipomoea batatas: *see Elsinoe batatas*, 6
Impomea batatas: *see* Sweet potato, 313
Ipomoea batatas: Sweet potato genotype × environment interactions in the highlands of Papua New Guinea, 9
Ipomoea batatas: World patterns and trends in sweet potato production, 268
Ipomoea fistulosa: *see Raphanus sativus*, 361
Iron: *see* Soil, 41

Jamaica: *see* Cocoa, 290
Jute: Effect of plant density on yield and yield components of jute (*Corchorus capsularis* L.) in the southern Guinea savanna zone of Nigeria, 208
Jute: Cultivation of jute (*Corchorus olitorius* L.) for edible leaf in Nigeria, 297

Koleroga disease: *see* Arecanut, 150

Leaf area: *see* Guava, 173
Leaf rust: Leaf rust epidemics of certain promising cowpea varieties compared by using logistic and Gompertz models, 37
Leaf scab: *see Elsinoe batatas*, 6
Leaf scald: *see* Sugarcane, 281
Leaf yield: *see Gliricidia sepium*, 275
Leaf, edible: *see* Jute, 297
Leaf/air temperature: *see Phaseolus vulgaris*, 352
Legume: *see* Forage, 132, 137
Legume nutrition: Growth of legumes at different levels of liming, 113
Legumes, large seeding: *see* Chickpea, 121
Leucopholis coneophora: Chemical control of the white grub *Leucopholis coneophora* pest of the coconut palm, 355
Liming: *see* Legume nutrition, 113
Limpograss: *see Hemarthria altissima*, 49
Livestock: *see* Grazing systems, 99
Luffa aegyptica: *see Vigna unguiculata*, 241

Macrophomina phaseolina: *see* Soil disinfestation, 29
Maize: Stomatal conductance and leaf temperature of maize grown under different irrigation treatments in a semi-arid region, 305
Maize: Ontogeny of maize in relation to sequential cropping, 169
Management practice: *see* Fluted pumpkin, 317
Mangifera indica: *see* Mango, 153, 295
Mango: Influence of deblossoming on floral malformation of mango (*Mangifera indica* L.), 295
Mango: Harvest maturity effects on mango fruit ripening, 153
Manihot esculenta: Effect of drought on leaf development and dry matter production of the cassava (*Manihot esculenta* Crantz) plant, 84
Melongene: Hydrocooling and post-harvest quality in melongene (*Solanum melongena* L.), 161
Metabolizable energy: *see* Poultry, 358
Micropropagation: *see Musa* cv. Poyo, 325
Mineral application: *see* Rice, 226
Mineral content: *see* Forage, 132
Minisetts: *see* Yam, storage, 367
Molybdenum: *see* Sorghum, 333
Mulch: *see* Cowpea, 300
Mulch: *see* Fluted pumpkin, 202
Mulching: *see* Soil disinfestation, 29
Musa cv. Poyo: Micropropagation of *Musa* AAA cv. Poyo in the Ivory Coast, 325

N fertilization: *see* Barley, 249
N fertilization: Effect of nitrogen fertilization on yield and quality of multicut tropical forages, 129
N fertilization: *see* Soybean, 219
N fertilization: Effect of nitrogen fertilization and cutting management on the yield and quality of herbage of teosinte (*Euchlaena mexicana* Schrad.), 194
N fertilizer: *see* Sugarcane, 364
N fixation: *see Bradyrhizobium*, 61
Nodulation: *see* Chickpea, 121
Nodulation: *see Phaseolus vulgaris*, 341
Nutrition: *see* Cattle, Baggara, 56

Obituary: 98
Oil palm: *see Elaeis guineensis* var. *idolatrica*, 77
Oil Palm Market Review: 283
Organic carbon: *see* Cation exchange capacity, 347

Paclobutrazol: Effects of paclobutrazol on the vegetative growth and flowering of young clove trees, 25
Peanut: Screening of bunch peanut (*Arachis hypogaea* L. spp. *fastigiata*) germplasm for cold tolerance in India, 109
Pennisetum hybrids: Improved vegetative propagation of napiergrass and pearl millet × napiergrass interspecific hybrids, 158
Phaseolus vulgaris: *see* Bean, 166, 179
Phaseolus vulgaris: Instrument-based distortions of leaf/air temperature differences and interpretations of bean drought stress resistance, 352
Phaseolus vulgaris: Nodule senescence in *Phasedus vulgaris* L., 341
Phosphorus sorption: Phosphorus sorption characteristics of flooded soil amended with green manures, 185
Pig performance: Total replacement of cereals by cassava and rice polishings in diets of growing-finishing pigs, 321
Pigeon pea: *see* Intercropping, 145
Pigs: Use of diets containing high levels of copra meal for growing/finishing pigs and their supplementation to improve animal performance, 197
Plant density: *see* Jute, 208
Plant spacing: *see* Eggplant, 188
Planting regime: *see* Barley, 249
Planting regime: *see Vigna unguiculata*, 241
Polyploidy: *see Brachiaria ruziziensis*, 16
Polyploidy: *see Hyoscyamus muticus*, 277
Potato cultivars: *see Solanum* cultivars, 34
Poultry: Amino acid supplementation of groundnut meal protein in

broiler diets, 329
Poultry: Metabolizable energy values of some tropical feedstuffs for poultry, 358
Psidium guajava: *see* Guava, 173

Ramie: *see Boehmeria nivea*, 67
Raphanus sativus: Fertilizer replacement trials with *Raphanus sativus* L., 361
Reproduction: *see* Cattle, Kenana, 73
Rhizobial strain: *see* Bambara groundnut, 254
Rice: Effect of gypsum and lime application and *Azolla pinnata* inoculation on grain yield of rice, 226
Rice: Forecasting paddy yield in Bihar and Orissa States in India based on weather parameters and multiple regression technique, 265
Rice polishings: *see* Pig performance, 321
Ripening: *see* Mango, 153
Ruminants: Observations on the mineral content and nutritive value of diets fed to village ruminants in the Indonesian districts of Bogor (west Java) and Pamekasan (Madura, east Java), 213

Salt-affected: *see* Soil, 41
Seed pre-treatment: *see* Soybean, 106
Seed storage: *see* Eggplant, 279
Sequential cropping: *see* Maize, 169
Soil: Forms of iron and manganese and their availability in the salt-affected soils the Guhiya catchment of the Upper Luni Basin of Rajasthan, 41
Soil disinfestation: Mulching of soils with transparent (solarization) and black polyethylene films to increase growth of annual and perennial crops in southwestern Mexico, 29
Soil infertility: *see* Legume nutrition, 113
Soil water stress: *see* Maize, 305
Soil, anoxic: *see* Phosphorus sorption, 185
Solanum cultivars: Evaluation of ten *Solanum* potato cultivars for major insect pests, natural enemies and pest resistance in the highlands of Peru, 34
Solanum melongena: *see* Eggplant, 188
Solanum melongena: see Melongene, 161
Solanum spp.: *see* Eggplant, 279
Sorghum: Effect of induced molybdenum deficiency on growth and enzyme activity in sorghum, 333
Sorghum: *see* Intercropping, 145
Soybean: Inoculation methods and nitrogen fertilizer effects on soybeans in the Philippines: I. nodulation and nitrogen yields, 219
Soybean: Viability and germination of soybean seeds in relation to pre-treatment with fungicides, period of storage and type of storage container, 106
Sprout removal: *see* Yam, storage, 367
Statistics: Analysis of data from agricultural experiments, 2
Stomatal conductance: *see* Maize, 305
Storage: *see* Yam, 125
Sugarcane: Sugarcane leaf scald (*Xanthomonas albilineans*) in Pakistan, 281
Sugarcane: Filter cake as a nitrogen fertilizer for plant cane in Mauritius, 364
Sweet potato: *see Ipomoea batatas*, 9
Sweet potato: Identification of a key environment for determination of yield stability in sweet potato, 313

Taro residue: *see* Allelopathic factor, 21
Telfairia occidentalis: *see* Fluted pumpkin, 202, 317
Teosinte: *see* N fertilization, 194
Theobroma cacao: *see* Cacao, 271
Tomato: Effects of hormonal treatments on biomass production in tomato, 373

Vegetable propagation: *see Pennisetum* hybrids, 158
Vigna unguiculata: *see* Cowpea, 205
Vigna unguiculata: *see* Leaf rust, 37
Vigna unguiculata: Effects of preplanting, mixed planting and planting density of *Vigna unguiculata* (L.) Walp. on the growth of *Luffa aegyptiaca* Mill, in humic and red lateritic soils, 241
Village practice: *see* Ruminants, 213
Voandzeia subterranea: *see* Bambara groundnut, 254
Voandzeia subterranea: *see Bradyrhizobium*, 61

Water stress: *see* Groundnut, 182
Watering regime: *see* Bean, 179
Weaning weight: *see* Cattle, 257
Weather parameters: *see* Rice, 265
World production: *see Ipomoea batatas*, 268

Xanthomonas albilineans: *see* Sugarcane, 281

Yam: Effect of modifying two traditional yam barn structures on storbility of four cultivars of yam (*Dioscorea* spp.), 125
Yam, storage: Sprout removal in storage and seed yam production in Nigeria, 367
Yield: *see Hemarthria altissima*, 49
Yield forecast: *see* Rice, 265
Yield stability: *see* Sweet potato, 313

Zea mays: *see* Maize, 169